



HIGH EFFICIENCY H-SERIES SMALL SIZE INDOOR UNIT STANDARD BASE "HxSx-xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx" WEIGHT: 400 LBS









RIGHT SIDE VIEW

NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 45.9 L X 32.1 W X 24.4 H.




ANGLE PROJECTION

HUSSMANN HIGH EFFICIENCY H-SERIES SMALL INDOOR STD BASE

INFORMATION SUBJECT TO CHANGE

SHEET I OF 3

PD-000000004 |



PIPING CONNECTION LOCATION OUT RIGHT SIDE OF UNIT

NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 45.9 L X 32.1 W X 24.4 H.



THIRD ANGLE PROJECTION

SHEET 2 OF 3

INFORMATION SUBJECT TO CHANGE


HIGH EFFICIENCY
H-SERIES SMALL
INDOOR STD BASE

PD-000000004

MINIMUM CLEARANCE REQUIREMENTS:

ACTUAL CLEARANCE REQUIREMENTS ARE DEPENDENT UPON AUTHORITY HAVING JURISDICTION, AND MAY

EXCEED DIMENSIONS SHOWN.



NOTES:


I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.

2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.

3. OVERALL DIMENSIONS: 45.9 L X 32.1 W X 24.4 H.

DIMENSIONS ARE IN INCHES

DRAWN: DEC 2019



HUSSMANN

HIGH EFFICIENCY

H-SERIES SMALL

INDOOR STD BASE

PD-000000004 | RE