

NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 88.0 L X 35.0 W X 41.9 H.




THIRD ANGLE PROJECTION

INFORMATION SUBJECT TO CHANGE


HUSSMANN®
HIGH EFFICIENCY
H-SERIES LARGE
OUTDOOR STD BASE

 $^{\circ\circ}$ PD-000000015 $^{\text{Rev}}$ [

MINIMUM CLEARANCE REQUIREMENTS: ACTUAL CLEARANCE REQUIREMENTS ARE DEPENDENT UPON AUTHORITY HAVING JURISDICTION, AND MAY EXCEED DIMENSIONS SHOWN.




CLEARANCE ON A SINGLE UNIT APPLICATION



INFORMATION SUBJECT TO CHANGE

NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 88.0 L X 35.0 W X 41.9 H.



HUSSMANN

HIGH EFFICIENCY

H-SERIES LARGE

OUTDOOR STD BASE

OUTDOOR STD BASE

PD-00000015 PEV D