


HIGH EFFICIENCY
H-SERIES
SMALL SIZE
OUTDOOR UNIT
HEAVY DUTY BASE
"HxHx-xxxxxxx-xx-x"
WEIGHT: 400 LBS



TOP VIEW

HINGED TOP FRONT PANEL


CONTROL PANEL

FIXED TOP REAR PANEL

FRONT GRILLE


RIGHT END PANEL

BASE ASSEMBLY




CONTROL PANEL
FACING LEFT
END OF UNIT


MAIN ELECTRICAL
CONNECTION
LOCATION



LEFT SIDE VIEW




FRONT VIEW



RIGHT SIDE VIEW

RECEIVER




BOTTOM VIEW

- NOTES:
1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
 3. OVERALL DIMENSIONS: 44.1 L X 32.4 W X 32.1 H.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES

DRAWN: DEC 2019



THIRD
ANGLE
PROJECTION

SHEET 1 OF 3

HUSSmann[®]

HIGH EFFICIENCY
H-SERIES SMALL
OUTDOOR HD BASE


DOC

PD-000000017


REV

D

SWN 1.0 SUBMITTAL SHEET SIZE D



PIPING CONNECTION LOCATION
OUT RIGHT SIDE OF UNIT



SECTION A-A

CONTROL PANEL

COMPRESSOR
(VARIOUS MODELS OPTIONAL)

CONDENSER
(ELECTROFIN COATING
OPTIONAL)

ACCUMULATOR

SUCTION LINE
INLET LOCATION

LIQUID LINE
OUTLET LOCATION
FRONT TO BACK

BASE ASSEMBLY

ISO VIEW
OUTDOOR HOUSING
REMOVED FOR CLARITY


NOTES:

1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
3. OVERALL DIMENSIONS: 44.1 L X 32.4 W X 32.1 H.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES

DRAWN: DEC 2019



SHEET 2 OF 3


HUSSmann[®]

HIGH EFFICIENCY
H-SERIES SMALL
OUTDOOR HD BASE


DOC PD-000000017 REV D

SWN 1.0 SUBMITTAL SHEET SIZE D

MINIMUM CLEARANCE REQUIREMENTS:
ACTUAL CLEARANCE REQUIREMENTS ARE
DEPENDENT UPON AUTHORITY HAVING
JURISDICTION, AND MAY EXCEED DIMENSIONS
SHOWN.




CLEARANCE ON A SINGLE UNIT APPLICATION



CLEARANCE ON MULTIPLE UNIT APPLICATION
PROVIDE CLEARANCES AS SHOWN TO ENSURE
ADEQUATE AIRFLOW, REDUCE THE POTENTIAL FOR
AIR RECIRCULATION AND FACILITATE SERVICE
ACCESSIBILITY.

- NOTES:
1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
 3. OVERALL DIMENSIONS: 44.1 L X 32.4 W X 32.1 H.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES		HUSSmann®	
DRAWN: DEC 2019		HIGH EFFICIENCY H-SERIES SMALL OUTDOOR HD BASE	
	THIRD ANGLE PROJECTION	DOC	REV
SHEET 3 OF 3		PD-000000017	D

SWN 1.0 SUBMITTAL SHEET SIZE D