



HIGH EFFICIENCY
H-SERIES
LARGE SIZE
OUTDOOR UNIT
HEAVY DUTY BASE
"HxHx-xxxxxxx-xx-x"
WEIGHT: 1,250 LBS.




TOP VIEW




LEFT SIDE VIEW

CONTROL
PANEL
FACING
LEFT
END OF
UNIT




FRONT VIEW

PIPING
EXTENSION
6.0
MAX.




RIGHT SIDE VIEW



ISO VIEW

BASE ASSEMBLY



BOTTOM VIEW

31.5
MOUNTING
DIMENSIONS


40.9
MOUNTING
DIMENSIONS

36.0
MOUNTING
DIMENSIONS


Ø .562
MOUNTING HOLES
6 PLACES

- NOTES:
1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
 3. OVERALL DIMENSIONS: 86.1 L X 35.0 W X 49.6 H.


INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES		HUSSmann®	
DRAWN: DEC 2019		HIGH EFFICIENCY H-SERIES LARGE OUTDOOR HD BASE	
	THIRD ANGLE PROJECTION	DOC PD-000000019	
		REV D	
SHEET 1 OF 3			


SWN 1.0 SUBMITTAL SHEET SIZE D



PIPING CONNECTION LOCATION
OUT RIGHT SIDE OF UNIT



SECTION A-A




ISO VIEW WITH OUTDOOR HOUSING
REMOVED FOR CLARITY

NOTES:


1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
3. OVERALL DIMENSIONS: 86.1 L X 35.0 W X 49.6 H.

INFORMATION SUBJECT TO CHANGE


DIMENSIONS ARE IN INCHES		HUSSmann®	
DRAWN: DEC 2019		HIGH EFFICIENCY H-SERIES LARGE OUTDOOR HD BASE	
	THIRD ANGLE PROJECTION	DOC PD-000000019	
SHEET 2 OF 3		REV D	

SWN 1.0 SUBMITTAL SHEET SIZE D

MINIMUM CLEARANCE REQUIREMENTS:
ACTUAL CLEARANCE REQUIREMENTS ARE
DEPENDENT UPON AUTHORITY HAVING
JURISDICTION, AND MAY EXCEED DIMENSIONS
SHOWN.



CLEARANCE ON A SINGLE UNIT APPLICATION




CLEARANCE ON MULTIPLE UNIT APPLICATION

PROVIDE CLEARANCES AS SHOWN TO ENSURE
ADEQUATE AIRFLOW, REDUCE THE POTENTIAL FOR
AIR RECIRCULATION AND FACILITATE SERVICE
ACCESSIBILITY.

- NOTES:
- 1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
 - 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
 - 3. OVERALL DIMENSIONS: 86.1 L X 35.0 W X 49.6 H.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES		HUSSmann®	
DRAWN: DEC 2019			
	THIRD ANGLE PROJECTION	HIGH EFFICIENCY H-SERIES LARGE OUTDOOR HD BASE	
		DOC	REV
		PD-000000019	D
SHEET 3 OF 3			

SWN 1.0 SUBMITTAL SHEET SIZE D